	Application No.	Applicant(s)
Notice of Allewshills	10/084,109	KATOH ET AL.
Notice of Allowability	Examiner	Art Unit
	Amr Awad	2675
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>RCE filed on 4/10/2005.</u>		
2. The allowed claim(s) is/are 1,2 and 4-42.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Pa	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date 8), 7. ☐ Examiner's Amendm	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance
of Biological Material	9. Other	

DETAILED ACTION

Allowable Subject Matter

1. Claims 1 and 3-42 are allowed.

REASONS FOR ALLAWACE

2. The following is an examiner's statement of reasons for allowance:

With respect to claim 1, none of the prior art either singularly or in combination teach or fairly suggest a display device for dividing each frame into a number of subframes that includes among other features, a correction means corrects a subframe signal, representing the first one of the subframes that make up a current frame, by reference to a subframe signal representing another one of the subframes of the current frame, the another subframe being equivalent to the last subframe of the previous frame, and wherein the correction means corrects a subframe signal, representing a non-first one of the subframes of the current frame, by reference to a subframe signal representing the previous subframes of the current frame that has been displayed just before the non-first subframe.

With respect to claim 2, none of the prior art either singularly or in combination teach or fairly suggest, a display device for dividing each frame into a number of subframes and displaying one of the subframes after another, that includes among other features, a correction means that corrects a subframe signal, representing the first one of the subframes that make up the current frame, by reference to a single intensity level of a subframe signal representing the last one of the subframes that make up the

previous frame, and wherein the correction means corrects a subframe signal, representing a non-first one of the subframes of the current frame, by reference to a signal intensity level of a subframe signal representing the previous one of the subframes of the current frame that has been displayed just before the non-first subframe.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amr Awad whose telephone number is (571) 272-7764. The examiner can normally be reached on Monday through Fridary from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sumati Lefkwitz can be reached on (571)272-3638. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2675

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Amr Awad Primary Examiner Art Unit 2675

A. A.

AMR A. AWAD
PRIMARY EXAMINER

AM A AM AM